

# RACKS BRAX.<sup>®</sup>

## COMPATIBILITY POCKET GUIDE

FOR  
JCOLCA

FAST ON!  
FAST OFF!

# AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW  
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

**Joolca® ENSUITE MOUNTED SINGLE 1m**..... 3  
**Joolca® ENSUITE MOUNTED DOUBLE 2m** ..... 4



## JOOLCA® ENSUITE MOUNTED SINGLE 1m

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM JOOLCA® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)</li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)</li> </ul>	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts <sup>+</sup>
<ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts <sup>+</sup>
<ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

# JOOLCA® ENSUITE MOUNTED DOUBLE 2m

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	8182 – HD Hitch (TRIPLE)

## BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM JOOLCA® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> <li>✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	8301 – HD L50 L Brackets (TRIPLE)*; <b>OR</b>  8305 – HD Adjustable Brackets Short (TRIPLE)*; <b>OR</b>
<ul style="list-style-type: none"> <li>✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)</li> </ul>	8301 – HD L50 L Brackets (TRIPLE)*; <b>OR</b>  8307 – HD Adjustable Brackets Long (TRIPLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION  <ul style="list-style-type: none"> <li>✓ LOCKED GARAGES</li> <li>✓ WORKSHOP WALLS</li> </ul>	8160 – HD Wall Mounts <sup>†</sup>
UNSECURED LOCATION  <ul style="list-style-type: none"> <li>✓ OPEN CARPORTS</li> <li>✓ PUBLIC/SHARED GARAGE AREA</li> </ul>	8161 – HD Lockable Wall Mounts <sup>†</sup>

<sup>†</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.