

RACKS BRAX.®

COMPATIBILITY POCKET GUIDE

FOR



**FAST ON!
FAST OFF!**

AWNING AND ACCESSORY MODELS

**CLICK OR TAP ON AN AWNING/ACCESSORY BELOW
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED**

HOWLING MOON® ALU AWN 2.1m, 2.5m	3
HOWLING MOON® HALF MOON 1.4m.....	4
HOWLING MOON® LEISURE AWN 2.5m.....	4
HOWLING MOON® SAFARI AWN 2.5m	4
HOWLING MOON® SWALLOW AWN 1.4m	4
HOWLING MOON® 180 SWING AWN 2m	5
HOWLING MOON® 180 SWING AWN 2.5m.....	6
HOWLING MOON® 270 SWING AWN 4 panel (2m, 2.5m).....	7
HOWLING MOON® 270 SWING AWN 6 panel (2m, 2.5m).....	8



HOWLING MOON® ALU AWN 2.1m, 2.5m

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

NOTE: HD HITCHES FIT TO 2 OF THE 3 AVAILABLE MOUNTING TRACKS.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	
<ul style="list-style-type: none"> ✓ FOR BAR OR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	8300 – HD L50 L Brackets (DOUBLE)*; OR
<ul style="list-style-type: none"> ✓ FOR BAR-STYLE 	8304 – HD Adjustable Brackets Short (DOUBLE)*; OR
<ul style="list-style-type: none"> ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	8306 – HD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	8160 – HD Wall Mounts ⁺
<ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts ⁺
<ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

HOWLING MOON® HALF MOON 1.4m

NOT COMPATIBLE

HOWLING MOON® LEISURE AWN 2.5m

NOT COMPATIBLE

HOWLING MOON® SAFARI AWN 2.5m

NOT COMPATIBLE

HOWLING MOON® SWALLOW AWN 1.4m

NOT COMPATIBLE

HOWLING MOON® 180 SWING AWN 2m

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	
<ul style="list-style-type: none"> ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	9100 – XD Adjustable Brackets Short (DOUBLE)*; OR 9102 – XD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	9010 – XD Wall Mounts ⁺
<ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
<ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

HOWLING MOON® 180 SWING AWN 2.5m

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	
<ul style="list-style-type: none"> ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	9101 – XD Adjustable Brackets Short (TRIPLE); OR 9103 – XD Adjustable Brackets Long (TRIPLE).

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	9010 – XD Wall Mounts ⁺
<ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
<ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

HOWLING MOON® 270 SWING AWN *4 panel (2m, 2.5m)*

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS 2

HITCHES NEEDED 9000 – XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS 2

BRACKETS NEEDED

✓ **FOR BAR-STYLE**

9100 – XD Adjustable Brackets Short (DOUBLE)*; **OR**

✓ **FOR PLATFORM-STYLE
(WITH NO PERIMETER LIP)**

9102 – XD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS

ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.

SECURED LOCATION

9010 – XD Wall Mounts⁺

- ✓ **LOCKED GARAGES**
- ✓ **WORKSHOP WALLS**

UNSECURED LOCATION

9011 – XD Lockable Wall Mounts⁺

- ✓ **OPEN CARPORTS**
- ✓ **PUBLIC/SHARED GARAGE AREA**

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

HOWLING MOON® 270 SWING AWN *6 panel (2m, 2.5m)*

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	
<ul style="list-style-type: none"> ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	9101 – XD Adjustable Brackets Short (TRIPLE); OR 9103 – XD Adjustable Brackets Long (TRIPLE).

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	9010 – XD Wall Mounts ⁺
<ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
<ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.