

RACKS BRAX.[®]

COMPATIBILITY POCKET GUIDE

FOR

CAMP  **KING**[™]
INDUSTRIES

*FAST ON!
FAST OFF!*

AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

CAMP KING® PROTECTOR SERIES FREESTANDING 270 2.3m..... 3

CAMP KING® PROTECTOR SERIES FREESTANDING

270 2.3m

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	

- ✓ FOR BARS OR PLATFORM STYLES WITH **TRANSVERSE SLATS** (WITH NO PERIMETER LIP)

9101 – XD Adjustable Brackets Short (TRIPLE)*; **OR**

9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.

- ✓ FOR PLATFORM STYLES WITH **LONGITUDINAL SLATS** (WITH NO PERIMETER LIP)

9103 – XD Adjustable Brackets Long (TRIPLE)*; **OR**

9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
----------	--

SECURED LOCATION	9010 – XD Wall Mounts [†]
------------------	------------------------------------

- ✓ LOCKED GARAGES
- ✓ WORKSHOP WALLS

UNSECURED LOCATION	9011 – XD Lockable Wall Mounts [†]
--------------------	---

- ✓ OPEN CARPORTS
- ✓ PUBLIC/SHARED GARAGE AREA

[†]NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.