

RACKS BRAX.[®]

COMPATIBILITY POCKET GUIDE

FOR



FAST ON!
FAST OFF!

AWNING AND ACCESSORY MODELS

**CLICK OR TAP ON AN AWNING/ACCESSORY BELOW
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED**

QUICK PITCH® QUICK-EN-SUITE (BAG UNIT) 3
QUICK PITCH® QUICK-EN-SUITE (BOX UNIT)* 4
QUICK PITCH® WEATHERSHADE 20 SECONDS AWNING 5



QUICK PITCH® QUICK-EN-SUITE (BAG UNIT)

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*

*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS	2
-----------------	---

BRACKETS NEEDED

- ✓ **FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)**

8300 – HD L50 L Brackets (DOUBLE)*; **OR**

8304 – HD Adjustable Brackets Short (DOUBLE)*; **OR**

- ✓ **FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)**

8300 – HD L50 L Brackets (DOUBLE)*; **OR**

8306 – HD Adjustable Brackets Long (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
----------	--

SECURED LOCATION	8160 – HD Wall Mounts ⁺
------------------	------------------------------------

- ✓ **LOCKED GARAGES**
- ✓ **WORKSHOP WALLS**

UNSECURED LOCATION	8161 – HD Lockable Wall Mounts ⁺
--------------------	---

- ✓ **OPEN CARPORTS**
- ✓ **PUBLIC/SHARED GARAGE AREA**

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

QUICK PITCH® QUICK-EN-SUITE (BOX UNIT)*

*ALUMINIUM CASE MUST HAVE HOLES DRILLED TO SUIT ANY BRACKET AND HD HITCH.

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*

*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	
<ul style="list-style-type: none"> ✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP) 	<p>8300 – HD L50 L Brackets (DOUBLE)*; OR</p> <p>8304 – HD Adjustable Brackets Short (DOUBLE)*; OR</p>
<ul style="list-style-type: none"> ✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP) 	<p>8300 – HD L50 L Brackets (DOUBLE)*; OR</p> <p>8306 – HD Adjustable Brackets Long (DOUBLE)*.</p>

*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION <ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	8160 – HD Wall Mounts ⁺
UNSECURED LOCATION <ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	8161 – HD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.



QUICK PITCH® WEATHERSHADE 20 SECONDS AWNING

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)*
ADAPTOR NEEDED	9121 – XD Awning Connector (TRIPLE)*

*DOUBLE TO BE USED WITH QUICK PITCH ROOFTOP TENTS, OTHERWISE USE TRIPLE VERSIONS FOR ROOF RACK MOUNTING.

BRACKETS OPTIONAL

MOUNTING POINTS 3

BRACKETS NEEDED *DOUBLE TO BE USED WITH QUICK PITCH ROOFTOP TENTS, OTHERWISE USE TRIPLE VERSIONS FOR ROOF RACK MOUNTING.

- ✓ FOR BARS OR PLATFORM STYLES WITH **TRANSVERSE SLATS** (WITH NO PERIMETER LIP)

9101 – XD Adjustable Brackets Short (TRIPLE)*; **OR**

9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.

- ✓ FOR PLATFORM STYLES WITH **LONGITUDINAL SLATS** (WITH NO PERIMETER LIP)

9103 – XD Adjustable Brackets Long (TRIPLE)*; **OR**

9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 – XD Wall Mounts[†]

- ✓ LOCKED GARAGES
- ✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 – XD Lockable Wall Mounts[†]

- ✓ OPEN CARPORTS
- ✓ PUBLIC/SHARED GARAGE AREA

[†]NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.